

EAST Search History**EAST Search History (Prior Art)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S65	4	pillay.in. AND rout\$3 WITH protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:22
S66	7558	rout\$3 WITH protocol.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:30
S67	10	(@ad<"20031017" OR @rlad<"20031017") AND (transform) WITH route WITH "within"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:30
S68	33	(@ad<"20031017" OR @rlad<"20031017") AND (transform\$4) WITH route WITH "within"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:30
S69	4	(@ad<"20031017" OR @rlad<"20031017") AND (IGP WITH EGP WITH (export\$3 OR import\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:30
S70	4	(@ad<"20031017" OR @rlad<"20031017") AND (IGP AND EGP) WITH (export \$3 OR import\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:30
S71	13	(@ad<"20031017" OR @rlad<"20031017") AND (IGP AND (BGP OR EGP)) WITH (export\$3 OR import \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:30

S72	4	(@ad<"20031017" OR @rlad<"20031017") AND (export WITH limit WITH command)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:31
S73	15	(@ad<"20031017" OR @rlad<"20031017") AND (type3 OR type-3 OR type "3") WITH (LSA OR link state advertisement OR link- state advertisement)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:31
S74	27	(@ad<"20031017" OR @rlad<"20031017") AND (SPE WITH router)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:31
S75	193	(@ad<"20031017" OR @rlad<"20031017") AND (import\$3 WITH limit WITH receiv\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:32
S76	48	S75 AND ("709" OR "370"). clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:32
S77	6	(@ad<"20031017" OR @rlad<"20031017") AND ((export\$3 OR import\$3) WITH count WITH route)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:32
S78	53	(@ad<"20031017" OR @rlad<"20031017") AND (block\$3 OR reject\$3) ADJ3 (LSA OR link state advertisement)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:32

S79	13	("6385170") or ("20020069278") or ("20020078223") or ("6483833") or ("20020069292") or ("20030021232") or ("20030103456") or ("20030140167") or ("20030174717") or ("20030231587") or ("6718396") or ("20040081154") or ("6728782").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/23 14:32
S80	4	(@ad<"20031017" OR @rlad<"20031017") AND (export WITH limit WITH command)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:32
S81	6	(@ad<"20031017" OR @rlad<"20031017") AND ((export\$3 OR import\$3) WITH route WITH (count))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:33
S82	25	(@ad<"20031017" OR @rlad<"20031017") AND ((export\$3 OR import\$3) WITH route WITH (count \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:33
S83	72	(@ad<"20031017" OR @rlad<"20031017") AND (rout\$3 WITH (edge)) AND table WITH (limit OR max) WITH siz\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:33
S84	35	rout\$3 WITH protocol WITH (limit OR reject\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:34
S85	1891	rout\$3 WITH count\$3.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:38

S86	121	rout\$3 WITH count\$3 WITH (limit OR reject\$3 OR max OR maximum).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:39
S87	0	rout\$3 WITH count\$3 WITH (limit OR reject\$3 OR max OR maximum) WITH (export \$3 OR import\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:39
S88	0	rout\$3 WITH count\$3 WITH (export\$3 OR import\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:39
S89	3	rout\$3 WITH (export\$3 OR import\$3) WITH (limit OR reject\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:40
S90	231	rout\$3 WITH (export\$3 OR import\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:41
S91	0	rout\$3 WITH (export\$3 OR import\$3) WITH count.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:41
S92	0	rout\$3 WITH (export\$3 OR import\$3) WITH (count).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:41
S93	0	rout\$3 WITH (export\$3 OR import\$3) WITH (count\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:41

S94	0	rout\$3 WITH (export\$3 OR import\$3) WITH count\$3.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:42
S95	0	rout\$3 WITH (export\$3 OR import\$3) WITH (count\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:42
S96	53	709/238.ccls. AND (export\$3 OR import\$3) WITH limit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:56
S97	0	709/238.ccls. AND (export\$3 OR import\$3) WITH limit\$3.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:56
S98	48	709/238.ccls. AND (reject \$3) WITH route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:58
S99	9	709/238.ccls. AND (reject \$3) WITH route.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/23 14:58
S100	1230	(@ad<"20031017" OR @rlad<"20031017") AND (interior WITH protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 11:15
S101	539	(@ad<"20031017" OR @rlad<"20031017") AND (interior AND exterior) WITH protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 11:15

S102	1	(@ad< "20031017" OR @rlad< "20031017") AND (interior AND exterior) WITH protocol WITH (export\$3 OR import\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 11:16
S103	4042	(@ad< "20031017" OR @rlad< "20031017") AND route WITH (export\$3 OR import\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 11:16
S104	25	(@ad< "20031017" OR @rlad< "20031017") AND route WITH (export\$3 OR import\$3) WITH count\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 11:16
S105	5	(@ad< "20031017" OR @rlad< "20031017") AND router WITH (export\$3 OR import\$3) WITH count\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 11:19
S106	179	(@ad< "20031017" OR @rlad< "20031017") AND LSA WITH (reject\$3 OR limit \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 11:20
S107	85	(@ad< "20031017" OR @rlad< "20031017") AND rout\$3 WITH (border OR BGP) WITH (export\$3 OR import\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 11:34
S108	6	(@ad< "20031017" OR @rlad< "20031017") AND user WITH defin\$3 WITH (limit\$3 OR max OR maximum) WITH export\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/29 08:53
S109	8141	(@ad< "20031017" OR @rlad< "20031017") AND user WITH defin\$3 WITH (limit\$3 OR max OR maximum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/29 09:00

S110	43	(@ad<"20031017" OR @rlad<"20031017") AND user WITH defin\$3 WITH (limit\$3 OR max OR maximum) WITH import\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/29 09:00
S111	37	(@ad<"20031017" OR @rlad<"20031017") AND user WITH defin\$3 WITH (limit\$3 OR max OR maximum) WITH route	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/29 09:00
S112	220	(@ad<"20031017" OR @rlad<"20031017") AND user WITH defin\$3 WITH (limit\$3 OR max OR maximum) WITH table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/12/29 09:06
S113	31	(@ad<"20031017" OR @rlad<"20031017") AND user WITH defin\$3 WITH (limit\$3 OR max OR maximum) WITH table WITH size	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/12/29 09:06
S114	1	(@ad<"20031017" OR @rlad<"20031017") AND prefix WITH limit WITH command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/12/29 10:38
S115	6	(@ad<"20031017" OR @rlad<"20031017") AND prefix WITH limit WITH rout \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/12/29 10:38

12/29/2009 5:12:59 PM

C:\Documents and Settings\trichardson\My Documents\EAST\Workspaces\10687989.wsp